








































































Classification ^{3,4}	ID or 2	Age in Years										Continue Until Bones Stop Growing (on X-ray)	
		2.5	3	3.5	4	5	6	7	8	9	10		
 GMFCS I*													
 GMFCS II*	 					 					 		
 GMFCS III#	 		 		 	 	 	 	 		 	 	Every 2 years
  GMFCS IV# GMFCS V#	 	 	 	 	 	 	 	 	 	 	 	 	Every year
 Any GMFCS with Group IV Hemiplegic Gait ⁵⁻⁷	 					 					 	 	Every 2 years

Legend: GMFCS: Gross Motor Function Classification System²
 ID: Identification/Diagnosis of cerebral palsy
 Group IV Hemiplegic Gait: Child walks with one hip turned and pulled inward^{5,6}
 Clinical Exam  X-Ray
 *Altered from AACPD Care Pathway due to age of school entry
 #Do not reduce frequency of exam if migration percentage unstable or over 30%

References:

1. Miller S, Mulpuri K, O'Donnell M. British Columbia's Consensus on Hip Surveillance for Children with Cerebral Palsy. Information for health care professionals caring for children with cerebral palsy. Child Health BC, Vancouver, BC, Canada. 2018. www.childhealthbc.ca/hips.
2. American Academy of Cerebral Palsy and Developmental Medicine Hip Surveillance Care Pathway. 2017; <http://www.aacpdm.org/publications/care-pathways/hip-surveillance>. Accessed on: 17 Nov 2017.
3. Palisano R et al. Dev Med Child Neurol. 2008;50:744-50.
4. Illustrations Version 2. Reid B, Willoughby K, Harvey A, Graham HK. The Royal Children's Hospital, Melbourne, Australia.
5. Winters TF, Gage JR, Hicks R. J Bone Joint Surg (Am). 1987;69:437-441.
6. Rodda J & Graham HK. Eur J Child Neurol, 2001; 8 (Suppl. 5): 98-108.
7. Illustration reproduced with permission and copyright © Bill Reid, The Royal Children's Hospital, Melbourne, Australia.