CHBC Provincial Asthma Sim – Ongoing Management

Section 1: Case Summary

Scenario Title:	Ongoing Management of Pediatric Asthma
Keywords:	
Brief Description of Case:	This is a case of an 8-year-old child with a past medical history of asthma, who presented to the emergency department with a PRAM of 9. The child has improved after treatment (with PRAM scores fluctuating between 3-5) and is being admitted. The scenario starts as the child arrives to your inpatient unit.

Goals and Objectives					
Demonstrate ongoing assessment and management of pediatric asthma using the ongoing management recommendations in the CHBC Provincial Pediatric Asthma Management Guideline					
Knowledge:					
Discuss and demonstrate recognition of pediatric asthma and illness severity (PRAM scoring)					
2. Outline important education to support discharge of pediatric asthma patients					
Technical Skills:					
 Recognition of asthma severity utilizing the Pediatric Respiratory Assessment Measure (PRAM) Scoring Table 					
2. Demonstrate knowledge of ongoing asthma management					
3. Demonstrate use of the CHBC Provincial Pediatric Asthma Management Guideline					
Non-technical Skills:					
 Demonstrate effective closed loop communication and defined role clarity. Demonstrate crisis resource management and critical thinking Demonstrate utilization of regional and provincial resources 					
NOTE: The BC Simulation Network's Crisis Resource Management Reference (CRM model v9) in Appendix A outlines the components of effective CRM and can also be downloaded from the BC Simulation Network <u>Simulation Resources Page</u>					
N/A					

Learners, Setting and Personnel						
	☑ Junior Learners		⊠ Senior Learners			☐ Staff
Target Learners:	□ Physicians	⊠ Nuı	rses	⊠ RTs		☑ Inter-professional
	☐ Other Learners:	☐ Other Learners:				
Location:	⊠ Sim Lab		⊠ In Situ	l		☐ Other:
Recommended Number of Facilitators:	Instructors: 2					
	Sim Actors: 1-2 (parents, physician)					
of Facilitators:	Sim Techs: 1					



CHBC Provincial Asthma Sim - Ongoing Management

Scenario Development				
Date of Development:	October 2024			
Scenario Developer(s):	Trisha Thomson (CHBC), Matthew Thacker (CHBC), Catherine Marshall (CHBC,			
	Claire Seaton (BCCH)			
Affiliations/Institutions(s):	Child Health BC			
Contact E-mail:	CHBCEducation@phsa.ca			
Last Revision Date:				
Revised By:				
Version Number:	1			

Facilitator Notes

BEFORE THE SIMULATION

1) Pre-brief the group:

- a. Welcome introductions, sign-in
- b. Review overall format including approximate time for simulation and debrief. Remind that debrief often takes longer than scenario, but is the most important part
- c. Confidentiality Review the steps taken to ensure the psychological safety of participants
- d. Engagement Recognize this is a simulated environment but try to buy-in, the more you put into it and the more you'll get out of it
- **2) Provide Orientation** (failing to give proper orientation may set participants up for failure):
 - a. Manikin, monitors, code cart, meds & fluids, diagnostics, calling for help
 - b. Child Health BC Provincial Documents
 - 1. Child Health BC Provincial Pediatric Asthma Management Guideline
 - 2. Child Health BC Pediatric Respiratory Assessment Measure (PRAM) Scoring Table
 - 3. Child Health BC Patient Education Resources:
 - a. CHBC Pediatric Asthma Education Checklist
 - b. Asthma Action Plan 6 to 11 years (English)
 - c. CHBC Asthma Wallet Card
 - 4. Ongoing Management of Pediatric Asthma Exacerbations Algorithm and Medication Reference
 - 5. PEWS Inpatient Flowsheet 7 to 11 years
 - c. Equipment/Procedures in the case as needed do a needs assessment (i.e. How to use Broselow tape and cart, IO insertion, pediatric fluid bolus etc.)
- 3) Scenario briefing:
 - a. Review learning objectives with participants (knowledge/technical and non-technical skills)
 - b. Roles discuss roles, assign as needed

Section 2A: Initial Patient Information

A. Patient Chart						
Patient Name: Ja	Patient Name: Jamie Age: 8 years Gender: N/A Weight: 30 kg					
Presenting complaint: Shortness of Breath (CTAS 2) Admitting Diagnosis: Asthma Exacerbation						
Temp : 36.7	HR: 132	BP: 98/64	RR: 28	O ₂ sat: 96%	FiO ₂ : RA	



CHBC Provincial Asthma Sim - Ongoing Management

Cap glucose: N/A	GCS: 15 (E: 4 V: 5 M: 6); Alert; PAT: Alert, Tracheal tug,				
	Pink				
Triage note:					
Cough and runny nose x 3 days. Woke up this am with sh spacer with the MDI.	ortness of breath. No relief with reliever MDI. Not using a				
Patient History:					
In the emergency department Jamie received 3 doses of s	salbutamol and ipratropium via MDI, as well as 16mg				
Dexamethasone PO in the first 60 minutes of presentatio	n. Since the first hour, Jamie has needed salbutamol every				
30-90 minutes. With a PRAM score between 3-5.					
The emergency room physician consulted the pediatrician on call, who has decided to admit Jamie to the in-patient					
ward. It has been 5 hours since the child arrived at the ED and the child is now arriving to the in-patient setting.					
Allergies: Environmental					
Past Medical History: Current Medications:					
Asthma.	Salbutamol MDI and Flovent MDI				
	Last dose of salbutamol in ED: 2 hours ago				

Section 2B: Extra Patient Information

A. Further History

Include any relevant history not included in triage note above. What information will only be given to learners if they ask? Who will provide this information (mannequin's voice, sim actors, SP, etc.)?

Patient has poor medication adherence (**Sim actor/facilitator** can play role of **guardian** to relay information: (eg. "patient has been too busy with school and forgets to take puffers")

Dexamethasone PO 16mg was provided as part of the patient's management in the ED

	=				
B. Physical Exam					
List any pertinent positive and negative findings					
Cardio: Sinus tachycardia	Neuro : Alert, orientated x3				
Resp: Tracheal tug, auscultated wheeze on inspiration/expiration, decreased air entry (a/e) to	Head & Neck: Unremarkable				
bases					
Abdo: Unremarkable	MSK/skin: Skin pink. Peripheral/Central cap refill 1sec				
Other:					



CHBC Provincial Asthma Sim - Ongoing Management

Section 3: Technical Requirements/Room Vision

A. Patient					
☐ Standardized Patient					
☐ Task Trainer					
☐ Hybrid					
B. Special Equipment Required					
☐ Cardiac monitor or vital signs machine (eg. Dynamap, etc.) and/or: saturation monitor, blood pressure cuff					
☐ Age-appropriate PEWS documentation tools					
□ Child Health BC Pediatric Asthma Management Guideline					
☐ Medication safe dosages reference guide					
☐ Regional Pediatric Asthma Pre-Printed Orders or electronic order set if available					
☐ Methylprednisolone parenteral drug therapy instructions					
☐ Personal protective equipment					
☐ MDI spacer with mouthpiece					
□ IV pump					
□ IV line					
C. Required Medications					
☐ Salbutamol MDI/nebules					
□ D5NS 1L bag					
☐ Methylprednisolone 30mg IV					
D. Moulage					
IV insitu to one hand					
E. Monitors at Case Onset					
\square Patient on monitor with vitals displayed					
☐ Patient not yet on monitor					
F. Patient Reactions and Exam					
Include any relevant physical exam findings that require mannequin programming or cues from patient					
(e.g. – abnormal breath sounds, moaning when RUQ palpated, etc.) May be helpful to frame in ABCDE format.					
A: alert, no foreign bodies/debris, no drooling/swelling, c-spine clear					
B: decreased air entry to bases, wheeze inspiratory/expiratory on auscultation, tracheal tug					
C: skin pink, pulses strong, rapid, regular, capillary refill 1 second, warm/dry skin					
D: alert					
E: no rash					

Section 4: Sim Actor and Standardized Patients

Sim Actor and Standardized Patient Roles and Scripts				
Role	Description of role, expected behavior, and key moments to intervene/prompt learners. Include any script			
	required (including conveying patient information if patient is unable)			



CHBC Provincial Asthma Sim – Ongoing Management

Parent | Answers questions related to patient exam, as applicable. Cooperative with care.



Section 5: Scenario Progression

Scenario States, Modifiers and Triggers						
Patient State/Vitals	Patient Status	Learner Actions, Modifiers & Triggers to Move to Next State		Facilitator Notes		
1. Baseline State HR: 132 BP: 98/64 RR: 28; inspiratory/expirator y wheeze on auscultation O ₂ sat: 96% RA T: 36.7 °C Glucose: 5.6 mmol Weight: 30 kg PEWS: 4 CVS: cap refill 1 sec PAT: Pink, alert, suprasternal indrawing	The child arrives to the in-patient unit. Last salbutamol 2 hours ago. Alert and cooperative, laying in bed.	Expected Learner Actions Calculate PRAM score = 5 Suprasternal indrawing - 2 Inspiratory/expiratory wheeze - 2 Air entry decreased bases - 1 Check and record HR, RR & SpO ₂ Salbutamol 10 puffs via MDI Voice timeframe when next assessment to be completed (VS and PRAM score every 30 to 60 minutes)	Modifiers Changes to patient condition based on learner action 10 puffs salbutamol given> wheeze improve to expiratory only, air entry improves bilaterally (and progress to State 3) Triggers For progression to next state 10 puffs not given properly or within 10 minutes> State 2 (severe PRAM) 10 puffs salbutamol given and> State 3 (mild PRAM)	 Physicians Orders: Follow CHBC Provincial Pediatric Asthma Management Guideline for Vital Signs and PRAM frequency Follow CHBC Provincial Pediatric Asthma Management Guideline for medication administration frequency Diet as tolerated O₂ to keep saturations equal to or greater than 92% Notes: Facilitator can verbally progress scenario to state 3 once learners have provided 10 puffs of salbutamol and voiced timeframe for next reassessment "It is now 1 hour since you provided salbutamol to your patient, it is now time to reassess" If the learners do not provide 10 puffs of salbutamol, the scenario would move to state 2 		
State 2. Severe PRAM Rhythm: Sinus tachy HR: 146	Patients becomes more tachypneic with a decreasing saturation. Wheezes worsen and air entry diminishes	Expected Learner Actions Reassess PRAM score = 8 O_2 saturation (less than 92%) – 1 Suprasternal indrawing - 2	 Modifiers O₂ applied> saturations increase by 3% 	 Physicians Orders: Follow CHBC Provincial Pediatric Asthma Management 		



BP: 98/64 RR: 41; audible wheeze O2 sat: 91% T: 36.7 °C PEWS: 5 CVS: cap refill 1 sec PAT: Pink, alert, tachypnea/audible wheeze, suprasternal indrawing	requiring an increase in PRAM score and a move to the severe PRAM pathway	Decreased air entry to apex & bases - 2 Audible wheeze - 3 Call most responsible physician (update on new PRAM score) Administer salbutamol q 20 minutes x3 via MDI w/ mouthpiece Insert IV Hang maintenance fluids D5NS @ 60mL/hr Administer methylprednisolone 30mg IV over 20 minutes Administer O ₂ via nasal prongs 1-3 L/min Place on continuous monitoring of HR, RR, SpO ₂ Consult Respiratory Therapist (RRT)& Higher Level Of Care (HLOC)/CHARLiE (if appropriate based on setting/site)	 1st round of salbutamol provided> saturations increase by 3%, audible wheeze becomes inspiratory/expiratory wheeze only on auscultation, respiratory rate decrease by 5 2nd round of salbutamol provided> inspiratory/expiratory wheeze becomes expiratory wheeze only, respiratory rate decrease by 5 Triggers For progression to next state Medication management incomplete/not rapid> end sim after 2nd round of salbutamol and IV methylprednisolone initiated, facilitator can verbally progress scenario 'you have provided a 3rd dose of salbutamol, and it is 1 hour since beginning the severe pathway'> State 3 (condition improvement) 	Guideline for Vital Sign and PRAM frequency Follow CHBC Provincial Pediatric Asthma Management Guideline for medication administration frequency Insert IV D5NS @ 60ml/hr Methylprednisolone 30 mg IV over 20 minutes
State 3. Recovery Rhythm: Sinus tachy HR: 140	After managing patient in the ongoing pathway, the patient improves with a	Expected Learner Actions Calculate PRAM Score = 5	Modifiers •	Physicians Orders: • Follow CHBC Provincial Pediatric Asthma



BP: 98/64 RR: 31; inspiratory & expiratory wheeze throughout on auscultation. decreased air entry to bases O ₂ sat: 97% on O ₂ , 94% on room air T: 36.7 °C PEWS: 4 PAT: Alert, tachypnea with suprasternal indrawing, pink	decrease in Respiratory Rate and improvement in lung sounds/saturations.	O ₂ saturation -1 (if students do not take off oxygen this score is 0 - and a point of discussion for debrief - oxygen needs to be removed for an accurate PRAM score) Expiratory wheezing - 1 Suprasternal retractions - 2 Decreases air entry to base - 1 Reassess vital signs (HR, RR, SpO ₂) Salbutamol 10 puffs via MDI Verbalize management plan (reassess PRAM & vital signs in 30 minutes and move to pathway according to PRAM score) and education plan (utilize CHBC asthma education checklist, advocate for Asthma Action Plan completion, fill out Asthma Wallet Card)	Triggers • After verbalize plan of care and all actions complete> end sim •	Management Guideline for Vital Sign and PRAM frequency Follow CHBC Provincial Pediatric Asthma Management Guideline for medication administration frequency Notes: Facilitator can verbally encourage participants to discuss education strategies once the students have outlined the care plan for their patient "The physician agrees with your care plan and wants you to support patient education in preparation for discharge in the next 24 hours"
---	---	--	---	---



Appendix A: Facilitator Cheat Sheet & Debriefing Tips

Include key errors to watch for and common challenges with the case. List issues expected to be part of the debriefing discussion. Supplemental information regarding any relevant pathophysiology, guidelines, or management information that may be reviewed during debriefing should be provided for facilitators to have as a reference.

	r Debrief Guide: Facilitate a conversation with the group following the BC Hot Debriefing Guide (Appendix C)
wnich car S	be downloaded from the BC Simulation Network <u>Simulation Resources Page</u> Summarize the Case
3	Example Question: "Can someone summarize the case in one or two sentences?"
Т	Things that went well
•	Example Question: "What did you think you did well?"
	Review: Did we accomplish the Learning Objectives?
	Knowledge:
	☐ Discuss and demonstrate recognition of pediatric asthma and illness severity (PRAM
	scoring)
	☐ Outline important education to support discharge of pediatric asthma patients
	Technical Skills:
	☐ Recognition of asthma severity utilizing the Pediatric Respiratory Assessment Measure
	(PRAM) Scoring Table
	☐ Demonstrate skills of ongoing asthma management
	☐ Demonstrate use of the CHBC Provincial Pediatric Asthma Guideline
	Non-technical Skills:
	 □ Demonstrate effective closed loop communication and defined role clarity. □ Demonstrate crisis resource management and critical thinking
	☐ Demonstrate crisis resource management and critical difficulty difficulty of the critical difficulty difficulty of the critical difficulty d
0	Opportunities to Improve
Ū	Example Question: "What would you change next time?"
	KEY DEBRIEF POINTS:
	Regardless of their previous PRAM score or management history, all patients moving to the ongoing
	pathway require assessment within 30 minutes of transitioning to this pathway/arrival to new care
	setting
	Calculating the PRAM score guides assessment and intervention frequency throughout care
	A severe PRAM score requires immediate notification to the MRP and escalation of salbutamol
	frequency
	Consultation with RRT (where available) is important during severe asthma management
	An accurate PRAM score includes removal of oxygen for oxygen saturation scoring
	 Doses of salbutamol are the same as the initial management algorithm, until weaning frequency with
	a prolonged mild PRAM score
	Engage pediatrician on-call through local operator/on call system; or CHARLIE via Zoom at
	charlie1@rccbc.ca or phone (236)305-5352
	Early consultation to discuss patient management and transport is advised when the patient has
	persistent/severe respiratory distress or impending respiratory failure. Contact a higher level of care
	referral center to consult with a pediatrician/pediatric intensivist via Patient Transfer Network (PTN)
	(1-866-233-2337)



	 Nursing & Respiratory Therapist Support from Provincial Pediatric Intensive Care Units (PICU) Further airway management resources can be found on the CHBC Pediatric Critical Care Resources In A Hurry website. Education is an important piece of asthma management, and opportunities should be utilized throughout the patient's care when stable to provide education on how to best manage their asthma. Tools are provided throughout the CHBC guideline to support the education and knowledge acquisition
Р	Points of Action
	Example Question: "What additional support or resources do you need to be able to incorporate what you have learned today into your practice?"

References

- 1) Canadian Pediatric Society (2021). *Managing an acute asthma exacerbation in children*. Canadian Pediatric Society Position Statement. Retrieved from: <u>Managing an acute asthma exacerbation in children | Canadian Paediatric Society (cps.ca)</u>
- 2) Translating Emergency Knowledge for Kids (TREKK). (2024). *Bottom line recommendations: asthma*. Retrieved from 2024 02 26 Asthma-BLR FINAL v2.1.pdf (trekk.ca)

