

TIERS
IN BRIEF

CHILDREN'S SURGICAL SERVICES

Approved: July 2016
Last minor update: Oct 2020

childhealthbc.ca



Children’s Surgical Services: Tiers in Brief to Support System Planning

Contents

1.0	Tiers of Service	2
1.1	Tiers of Service Framework and Approach	2
1.2	BC’s Child Health Tiers of Service Modules.....	3
2.0	Surgical Tiers of Service	3
2.1	Module Development	3
2.2	Module Scope	4
2.3	Recognition of the Tiers	4
3.0	Children’s Surgical Tiers In Brief	7
3.1	Differentiation of the Tiers	7
3.1.1	Definitions.....	7
3.1.2	Relationships: Medical & Procedural Complexity, Age & Tiers	9
3.2	Responsibilities and Requirements at each Tier.....	10
	Tier 2: General Surgical Service	12
	Tier 3: Child-Focused Surgical Service	13
	Tier 4: Children’s Comprehensive Surgical Service.....	15
	Tier 5: Children’s Regional Enhanced & Subspecialty Surgical Service.....	17
	Tier 6: Children’s Provincial Subspecialty Surgical Service.....	18
4.0	References	21
	Appendix 1: Quality Improvement Program Requirements T4, T5 & T6.....	24
	Appendix 2: Surgical Capability of T2 & T3 Surgical Services	26
	Appendix 3: Glossary.....	27
	Appendix 4: Change Log.....	30

HOW TO CITE THE CHILDREN’S SURGICAL SERVICES:

We encourage you to share these documents with others and we welcome their use as a reference. Please cite each document in the module in keeping with the citation on the table of contents of each of the three documents. If referencing the full module, please cite as:

Child Health BC. *Children’s Surgical Services*. Vancouver, BC: Child Health BC, October 2020.

Child Health BC acknowledges the principle authors, O’Donnell M, Williams J, Skarsgard E, and the contribution of the Surgical Tiers Working Group members: Appleby J, Bhalla M, Blair P, Boardman A, Buonassisi T, Duncan P, Ferguson K, Froese N, Fryer M, Hatcher S, Hayashi A, Johns J, Laukkanen C, Macleod M, Maharaj M, McGeough C, Matthews ML, O’Donnell M, Reimer E, Scrivens S, Skarsgard E, Thain L, Tuff Y, Whelan P, Williams J.

Children's Surgical Services: Tiers in Brief to Support System Planning

1.0 Tiers of Service

1.1 Tiers of Service Framework and Approach

Planning and coordinating children's health services is a major area of focus for Child Health BC and its collaborators (health authorities, ministries, non-profit organizations, school boards, etc). The Tiers of Service framework provides a tool to define and plan such services.

Utilizing a common language and methodology, the Tiers of Service framework:

- Recognizes that health services, while important, are one of several factors that contribute to child and youth well-being overall.
- Is informed by a review of frameworks/tools in other jurisdictions around the world.
- Facilitates system planning for clinical services, knowledge sharing/training and quality improvement/research. The responsibilities and requirements for each of these three areas are defined within the Tiers framework.

Child Health BC is leading the use of the Tiers of Service approach to system planning for children's health services. This is being done through:

Creation of a series of modules: For each of the major areas of health services - such as children's medicine, children's surgery, children's emergency care, children & critical care services and mental health services for children and youth - a Tiers of Service module has or is being created.

Self-assessment based on the modules: Once a module is finalized and accepted by the key partners in the province, a self-assessment is completed. Child Health BC works with health authority partners as necessary to get this work completed.

System planning and service planning based on self-assessment results: Using the self-assessment analysis, CHBC is committed to supporting provincial, regional and local planning in collaboration with other entities.

1.2 BC's Child Health Tiers of Service Modules

Below are the Tiers of Service modules. Some have been completed and some are in development.

Clinical Services modules:

- Children's Medicine
- **Children's Surgery**
- Children's Emergency Department
- Children & Critical Care Services
- Child Development, Habilitation & Rehabilitation
- Children's Home-based Services (future)
- Mental Health Services for Children and Youth
- Substance Use Services for Children and Youth (future)

Clinical Diagnostic & Therapeutic Service modules:

- Children's Laboratory, Pathology & Transfusion Medicine
- Children's Medical Imaging (future)
- Children's Pharmacy Services (future)

Collectively, the modules and their components provide the foundation for provincial and health authority (HA) planning of children's health services.

2.0 Surgical Tiers of Service

2.1 Module Development

The Children's Surgery module is made up of three components:

1. Documents that provide context and were developed to inform the Surgical Tiers module
 - a. *Children's Surgical Services: Setting the Stage for Tiers Development*
 - b. Summary of the Evidence Volume-Outcome Relationship in Pediatric Surgery¹
2. Children's Surgical Services: Tiers in Brief to Support System Planning (Provides a high-level overview of key aspects of the module **(this document)**).
3. Children's Surgical Services: Tiers in Full to Support Operational Planning (Provides significant detail of key aspects of the module: (1) clinical service. (2) knowledge sharing/training; and (3) quality improvement/ research.)

The module was developed by an interdisciplinary working group comprised of a representative(s) from each of BC's HAs (various combinations of surgeons, anesthesiologists, nurses, directors/managers and planners), Child Health BC and a meeting facilitator. In addition to the working group, representatives from all BC HAs and other constituent and topic-specific groups were invited to provide feedback on the draft document. The final version was submitted to the Provincial Surgical Executive Committee and Child Health BC Steering Committee for acceptance.

The document was informed by work done in other jurisdictions, mostly notably Queensland,² New South Wales,³⁻⁶ Australia,⁷ the United Kingdom⁸⁻¹³ and the United States.¹⁴ B.C. data was used where it was available, as were relevant BC and Canadian standards (e.g., Provincial Privileging documents¹⁵⁻¹⁸ and the Royal College of Physicians and Surgeons Objectives of Training^{19,20}).

2.2 Module Scope

Surgical services discussed in this document are hospital-based and are provided in surgical day care, operating rooms and inpatient and outpatient settings. Procedures usually require some form of anesthetic and/or procedural sedation.

Services are accessible follows:ⁱ

- a. New patients: Up to a child’s 17th birthday (16 years + 364 days); and
- b. Children receiving ongoing care: Up to a child’s 19th birthday (18 years + 364 days).

The document does not include surgical services provided in/by:

- Private offices or clinics of dentists, surgeons or other physicians (beyond the influence of the tiers of service initiative).ⁱⁱ
- Emergency Departments (EDs) (discussed in the Children’s ED Services document).
- Neonatal Intensive Care Unitsⁱⁱⁱ (refer to Tiers of Perinatal Care at: www.perinatalervicesbc.ca).

2.3 Recognition of the Tiers

The *Child Health Tiers of Service Framework* includes 6 tiers of service. The Children's Surgery module recognizes 5 out of 6 of the tiers. T1 (Prevention, Primary & Emergent Health Services) is not applicable to the Surgical Tiers.

Tier	Child Health Framework Tiers of Service	Children's Surgical Tiers of Service
T1	Prevention, Primary & Emergent Health Service	
T2	General Health Service	General Surgical Service
T3	Child-Focused Health Service	Child-Focused Surgical Service
T4	Children’s Comprehensive Health Service	Children’s Comprehensive Surgical Service
T5	Children’s Regional Enhanced & Subspecialty Health Service	Children’s Regional Enhanced & Subspecialty Surgical Service
T6	Children’s Provincial Subspecialty Health Service	Children's Provincial Subspecialty Surgical Service

Refer to Table 1 for an overview of Children's Surgical Tiers (Tiers at a Glance).

ⁱ BC Children's Hospital. Administration manual: Admission age, BCCH and Sunny Hill Hospital for Children. 2010.

ⁱⁱ This document may also be helpful to HAs when establishing standards for contracted services (e.g., HA contract with a private clinic to perform dental surgery on children).

ⁱⁱⁱ Responsibilities and requirements for the general care of neonates is discussed in the NICU Levels of Care document. Surgery-specific components of the care are included in this (surgical) document.

Table 1: Children’s Surgical Tiers at a Glance

	Prevention, Primary & Emergent Health Service	General Surgical Service	Child-Focused Surgical Service	Children’s Comprehensive Surgical Service	Children’s Regional Enhanced & Subspecialty Health Service	Children’s Provincial Subspecialty Health Service
Document	T1	T2	T3	T4	T5	T6
Service reach	Community health service area(s)/local health area.	Multiple local health areas/health service delivery area.	Health service delivery area/health authority.	Health authority.	Province.	Community health service area(s)/local health area.
Service focus	Supports the health & well-being of infants, children, youth & their families. Local services for emergent care. Stabilizes & refers/transfers as necessary.	Diagnoses & provides definitive treatment for children with low acuity/complexity conditions & minor, uncomplicated single system injuries. Stabilizes & refers/transfers as necessary.	Diagnoses & provides definitive treatment for children with relatively common, medium acuity/complexity conditions & uncomplicated single system injuries. Stabilizes & refers/transfers as necessary.	Diagnoses & provides definitive treatment for children with a broad range of medium acuity/complexity conditions (including complex psychosocial issues) & non-life-threatening single & two-system injuries. Stabilizes & refers/transfers as necessary.	Diagnoses & provides definitive treatment for children with high acuity &/or relatively common high complexity conditions (including complex psychosocial issues) & single & two-system injuries. The range of conditions is dependent upon the types of subspecialists available. Stabilizes & refers/transfers as necessary.	Diagnoses & provides definitive treatment for children with the full range of high acuity/high complexity medical conditions (including complex psychosocial issues) & multiple-system injuries, many of whom require care from multiple subspecialty teams. Provincial pediatric trauma centre.
Children’s Surgical Services <i>(Adult & Pediatric Surgical Specialists & relevant teams)</i>		On-site surgical capacity exists (locally or via outreach) for: <ul style="list-style-type: none"> • Low complexity procedures on a planned, day care basis on healthy children ages 2 & over (ASA 1-2). • Life & limb procedures.^{iv} 	On-site surgical capacity exists for: <ul style="list-style-type: none"> • Low complexity procedures on a planned & unplanned, inpatient & day care basis on healthy children ages 2 & over (ASA 1-2) • Life & limb procedures. 	On-site surgical capacity exists for: <ul style="list-style-type: none"> • Low complexity procedures on a planned & unplanned, inpatient & day care basis on healthy children ages 6 months & over^v (ASA 1 - 2). • Life & limb procedures. 	On-site surgical capacity exists for: <ul style="list-style-type: none"> • Medium & selected high complexity procedures (when relevant pediatric surgery specialist is available) on a planned & unplanned, inpatient & day care basis on children of any age, including those with modest medical complexities (ASA 3).^{vi} • Life & limb procedures. 	On-site surgical capacity exists for: <ul style="list-style-type: none"> • High complexity procedures on a planned & unplanned, inpatient & day care basis on children of any age, including those with high medical complexities (ASA 4-5).

^{iv} Risk of transporting the child is greater than the risk of performing the procedure locally. Assumes availability of resources (trained personnel, equipment, etc).

^v Assumes availability of appropriately credentialed anesthesiologist(s) as per provincial privileging document. This requires an anesthesiologist that has recent experience providing anesthesia to children in the 6 mos - 2 year age group + 10 CPD credits/year in pediatric anesthesiology.

	Prevention, Primary & Emergent Health Service	General Surgical Service	Child-Focused Surgical Service	Children's Comprehensive Surgical Service	Children's Regional Enhanced & Subspecialty Health Service	Children's Provincial Subspecialty Health Service
Document	T1	T2	T3	T4	T5	T6
Children's Surgical Services cont'd <i>(Adult & Pediatric Surgical Specialists & relevant teams)</i>		<p><i>Surgical specialties:</i> Variable, depending on local surgeon availability.</p> <p>General surgeon or family practice physician with enhanced surgical skills available in rural & remote sites (not 24/7).</p> <p><i>Anesthesia:</i> Anesthesia provider (specialist or family practice physician) available during times surgical procedures are performed.</p> <p>Transfer algorithm in place when surgical or anesthesia provider is not available.</p>	<p><i>Surgical specialties:</i> General surgeon on-call 24/7.</p> <p>Strive to have dental surgery, ophthalmology, orthopedics, ENT, plastics and urology on-call 24/7.</p> <p>Transfer algorithm in place at times appropriate surgical specialty is not available (e.g., vacations).</p> <p><i>Anesthesia:</i> Anesthesia provider (specialist or family practice physician) on-call 24/7.</p>	<p><i>Surgical specialties:</i> Specialists on-call 24/7 & available to assess & manage children with all types of surgical conditions except cardiac or neurosurgery-related. Managing a surgical condition may include performing a surgical procedure, developing an alternative management plan or transferring the child to a T5/T6 service.</p> <p><i>Anesthesia:</i> Anesthesiologist who meets the age-specific credentialing requirements available on-call 24/7 to provide anesthesia to children ages 6 mos - 2 yrs.</p>	<p><i>Surgical specialties:</i> Specialists available on-call 24/7 & available to assess & manage children with all types of surgical conditions except cardiac or neurosurgery-related. Managing a surgical condition may include performing a surgical procedure, developing an alternative management plan or transferring the child to a T6 service.</p> <p>Pediatric surgical specialists available for some specialties (not 24/7). At a minimum, this includes a pediatric (general) surgeon and one other pediatric surgical subspecialist.</p> <p><i>Anesthesia:</i> Pediatric anesthesiologist on-call 24/7.</p> <p><i>Outpatients:</i> Some specialty-specific outpatient clinics available for children with complex needs.</p>	<p><i>Surgical specialties:</i> Pediatric surgical specialists on-call 24/7 & available to assess & definitively manage children with all types of surgical conditions, including multi-system trauma.</p> <p><i>Anesthesia:</i> Pediatric anesthesiologist(s) available 24/7.</p> <p><i>Outpatients:</i> Broad range of specialty-specific outpatient clinics available for children with complex needs.</p>

^{vi}Assumes availability of appropriately credentialed anesthesiologist(s) as per provincial privileging document. This requires an anesthesiologist who has completed a 12-month fellowship in pediatric anesthesia and has recent experience working with children in the 0 - 6 mos age group + 80 CPD credits/yr with at least 20 CPD credits in pediatric anesthesiology. For children ages 6 mos - 2 yrs, see footnote above.

3.0 Children’s Surgical Tiers In Brief

3.1 Differentiation of the Tiers

3.1.1 Definitions

“Medical complexity,” “procedural complexity” and “age” are used to differentiate the tiers from each other. Refer to tables 2, 3 and 4 for definitions.

Table 2: Medical Complexity (ASA Score)

The American Society of Anesthesiologists (ASA) score is used as a proxy for “medical complexity”.

Medical Complexity	ASA Score	Description
Low	ASA 1	<ul style="list-style-type: none"> • Healthy child.
	ASA 2	<ul style="list-style-type: none"> • Child with mild systemic disease – no functional limitation (e.g., child with well controlled asthma or diabetes).
Modest	ASA 3	<ul style="list-style-type: none"> • Child with severe systemic disease – definite functional limitation (e.g., child with congenital heart disease or early muscular dystrophy).
Severe	ASA 4	<ul style="list-style-type: none"> • Child with severe systemic disease – a constant threat to life (e.g., child with late muscular dystrophy, pulmonary hypertension or cardiac myopathy).
	ASA 5	<ul style="list-style-type: none"> • Moribund child not expected to survive 24 hrs with or without surgery (e.g., perforated abdomen with end stage sepsis and multi-organ failure).

Note re use of ASA score as a proxy for medical complexity:

ASA is a simple classification system used to identify a child’s health status before surgery. The intent of using the ASA classification as a proxy for medical complexity is to convey the concept that a child without a significant concurrent medical condition(s) or with a condition which is medically controlled and not expected to significantly impact the complexity or risk of periop/post-operative care can be safely cared for in a T2, T3 or T4 centre. Conversely, a child with a significant concurrent medical condition(s) which is not medically controlled and/or is evolving and/or is expected to significantly impact the complexity or risk of providing periop/post-operative care is most safely cared for in a T6 or, depending upon the type and severity of the condition(s), a T5 centre. Final determination of the appropriate tier needs to be decided on a case-by-case basis.

Examples of children with medium or high medical complexities (i.e., ASA 3 or greater):

- Chronic lung disease with oxygen dependency, home ventilation or CPAP.
- Complex syndromes particularly those involving the airway, breathing or circulation.
- Major respiratory disease. e.g., cystic fibrosis with major derangement of respiratory function.
- Airway pathology. e.g., laryngo and tracheomalacia, tracheal stenosis, significant sleep apnea.
- Serious neuromuscular disorders. e.g., duchenne muscular dystrophy.
- Severe cerebral palsy with complex needs.
- Significant congenital heart disease. e.g., complex shunts/circulations.

- Metabolic and complex endocrine disease (excluding stable diabetes and hypothyroidism).
- Pulmonary hypertension.
- Significant hematological disorders. e.g., sickle cell disease and hemophilia.
- Significant renal and/or hepatic impairment.
- Unstable epilepsy.

Table 3: Procedural Complexity

Procedural Complexity	Description
Low	<ul style="list-style-type: none"> • Procedure is commonly performed on children (most low complexity procedures are also commonly performed on adults); AND • Typical time in the operating room is less than 2 hours; AND • Routine OR equipment requirements; AND • Post-operative care requires RNs with general pediatric knowledge and skills, with access to an interdisciplinary team on a case-by-case basis; AND • Post-operative admission to an NICU, high acuity/close observation unit or PICU is not expected; AND • Transfusion of blood products intraoperatively is unlikely; AND • Risk of a significant intra or post-operative complication is low.
Medium	<ul style="list-style-type: none"> • Procedure or technique is unique to children but is performed relatively frequently; OR • Requires equipment or devices not routinely stocked by operating rooms; OR • Risk of intraoperative blood product transfusion(s) is <u>not</u> negligible; OR • Risk of intra or post-operative complication(s) is <u>not</u> negligible; OR • Post-operative care requires RNs and an interdisciplinary team with med/surg knowledge and skills that works exclusively or primarily with children; <p>AND</p> <ul style="list-style-type: none"> • Post-operative admission to PICU is not expected (post-operative admission to a high acuity/close observation unit or NICU may be expected); AND • Involves a single perioperative surgical specialty; AND • Does not require pre and post-operative multi-specialty coordination (e.g., oncology, GI medicine and interventional radiology).
High	<ul style="list-style-type: none"> • Procedure or technique is unique to children and is performed infrequently; OR • Post-operative care requires RNs and an interdisciplinary team with subspecialty surgical knowledge and skills that works exclusively or primarily with children; OR • Post-operative admission to a PICU is expected; OR • Involves multi-specialty perioperative participation (e.g., general and ENT surgeon); OR • Requires pre and post-operative multi-specialty coordination (e.g., oncology, GI medicine and interventional radiology).
Life & limb <i>Applicable to all tiers</i>	<ul style="list-style-type: none"> • Procedure done on an unplanned/emergency basis that would not normally be within the capacity of a given site but which, if resources are available (trained personnel, equipment, etc), is performed because the risk of transport is > risk of performing the procedure locally. • Most likely to occur in rural & remote settings.

Table 4: Age

Description	Pediatric Expertise & Requirements	Anesthesia Provider
14 – 16.9 years	Limited pediatric expertise and equipment required	Adult anesthesia specialist
2 – 13.9 years	Pediatric expertise and equipment required	Adult anesthesia specialist with some pediatric practice
6 mos – 1.9 years	Pediatric expertise and equipment for very young children required	Adult anesthesiologist with high volume pediatric practice or pediatric anesthesiologist
0 – 6 months	Pediatric expertise & equipment for neonates & very young children required	Pediatric anesthesiologist

3.1.2 Relationships: Medical & Procedural Complexity, Age & Tiers

Table 5 provides an overview of the relationship between medical complexity, procedural complexity, age and the appropriate tier of service provision.

Table 5: Children Appropriate to Receive Services at Each Tier (based on Medical Complexity, Age & Procedural Complexity)

		T1			T2			T3			T4			T5			T6			
Medical Complexity	Age	Procedural Complexity																		
		Low	Med	High	Low	Med	High	Low	Med	High	Low	Med	High	Low	Med	High	Low	Med	High	
Low (ASA 1-2)	0 - 6 mos														*	*				
	6 mos - 2 yrs															*	*			
	2 yrs & up															*	*			
Med (ASA 3)	0 - 6 mos													*	*	*				
	6 mos - 2 yrs													*	*	*				
	2 yrs & up													*	*	*				
High (ASA 4&5)	0 - 6 mos																			
	6 mos - 2 yrs																			
	2 yrs & up																			
Life & Limb																				

*= Applicable only if relevant pediatric surgical specialty team and pediatric anesthesiologist is available.

T1	Prevention, Primary & Emergent Health Service
T2	General Surgical Service
T3	Child-Focused Surgical Service

T4	Children's Comprehensive Surgical Service
T5	Children's Regional Enhanced & Subspecialty Surgical Service
T6	Children's Provincial Subspecialty Surgical Service

3.2 Responsibilities and Requirements at each Tier

The next section describes the responsibilities and requirements at each tier to provide a **safe, sustainable** and **appropriate** level of service.

Refer to Table 6 for the types of surgical procedures appropriate to be performed at each tier, on whom and by whom (Table 6 is similar to Table 5 but provides additional detail about the types of providers appropriate to involve, by tier).

Note:

This document and other documents in the module are intended to guide discussions within HAs and provincially about the appropriate provision of surgical services for children. These discussions are guided not only by the responsibilities and requirements outlined in this document but also by the risks inherent in the service being discussed and by similar activities that contribute to the maintenance of the required service and skills. This module creates an opportunity for HAs to reflect on the appropriate types of surgical services provided to children and to deliberately plan an approach to service and skill maintenance, especially in situations where limited practical experience is available.

Table 6: Types of Surgical Procedures Performed at Each Tier, on Whom & by Whom

			T2			T3			T4			T5			T6		
			General Surgical Services			Child-Focused Surgical Services			Children's Comprehensive Surgical Services			Children's Regional Enhanced & Subspecialty Surgical Services			Children's Provincial Surgical Subspecialty Services		
			Procedural Complexity			Procedural Complexity			Procedural Complexity			Procedural Complexity			Procedural Complexity		
ASA	Age		Low	Med	High	Low	Med	High	Low	Med	High	Low	Med	High	Low	Med	High
Medical Complexity	1	0 - 6 mos										PA & S	PA & PS	PA & PS ²		PA & PS	PA & PS ³
	&	6 mos - 2 yrs							A2 & S				A2 & S	PA & PS ²			PA & PS ³
	2	2 yrs & up	A1 & S			A1 & S							A1 & S	PA & PS ²			PA & PS ²
Medical Complexity	3	0 - 6 mos										PA & PS	PA & PS	PA & PS ²	PA & PS	PA & PS	PA & PS ³
	&	6 mos - 2 yrs										A2 & S	A2 & S	PA & PS ²			PA & PS ³
	4	2 yrs & up										A1 & S	A1 & S	PA & PS ²			PA & PS ³
Medical Complexity	4	0 - 6 mos													PA & PS	PA & PS	PA & PS
	&	6 mos - 2 yrs													PA & PS	PA & PS	PA & PS
	5	2 yrs & up													PA & PS	PA & PS	PA & PS
Life & limb procedures ¹			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Abbreviations

A1	Anaesthesiologist who meets the currency requirements in the Provincial Privileging document (400 hrs/yr, adults & children + 80 CPD credits/yr). At T2 & T3, may be a family practice anesthesia provider who meets the currency requirements in the Provincial Privileging document (recommended current clinical activity to meet licensure requirements of the College of Physicians and Surgeons of BC, of which 150 hrs are self-reported anesthesia related activity plus 30 hours of anesthesia-related CME over a 3 year cycle).
A2	Anaesthesiologist who meets the currency requirements in the Provincial Privileging document for providing anesthesia to children ages 6 mos - 2yrs. This includes recent experience providing anesthesia to children in this age group + 10 CPD credits/year in pediatric anesthesiology.
PA	Anaesthesiologist who has completed a 12-month fellowship in pediatric anesthesia & meets the currency requirements in the Provincial Privileging document. This includes recent experience providing anesthesia to children in the 0 - 6 mos age group + 80 CPD credits/yr with at least 20 CPD credits in pediatric anesthesiology. For cardiac anesthesia an additional 6-month fellowship in pediatric cardiac anesthesiology is required + 50 pediatric cardiac cases/yr + 80 CPD credits/yr with at least 20 CPD credits/yr in pediatric cardiac anesthesiology.
S	Surgeon who meets the currency requirements in the Provincial Privileging document for the relevant specialty (most specialties specify a minimum # procedures &/or # operative hrs required as the primary surgeon. Some also specify CME credit hrs/yr). At T2, may be a family physician with enhanced surgical skills who meets the currency requirements in the Provincial Privileging document (current demonstrated skill & an adequate volume of experience - 20 hrs/yr non-endoscopic surgical time or 50 hrs/yr surgical-related activity including consults, call backs to the ED & maternity wards, CPD).
PS	Surgeon who has completed a pediatric fellowship & meets the currency requirements in the Provincial Privileging document for the relevant surgical specialty (including pediatric-specific requirements, if specified).

HAs to identify specific procedures appropriate to perform at each facility. Decisions will reflect the tier designation & consider factors identified in Appendix 1 (Table 1.1.a).

Note 1: Risk of transporting the child is greater than the risk of performing the procedure locally. Assumes availability of resources (trained personnel, equipment, etc).

Note 2: Specific high complexity procedures available at T5 is determined by the HA & considers factors identified in Appendix 1 (Table 1.1.a). The range of procedures available at T5 is narrower than the range at T6.

Note 3: Full range of high complexity procedures is available.

Tier 2: General Surgical Service

T2: Service Descriptions & responsibilities

Service reach:	Serves children that live in the community health service area(s)/local health area (LHA). ^{vii}
Service responsibilities:	<ul style="list-style-type: none"> • Performs low complexity procedures on healthy children (ASA 1 - 2) ages 2 & over on a planned, daycare basis. Range of procedures depends on the availability of local & outreach surgeons. Refer to Appendix 2 for procedures that rural & remote T2 services should be prepared (but not limited) to perform. • Performs life & limb procedures on an unplanned/emergency basis on higher risk children when the risk of transport is greater than the risk of performing the procedure locally if resources are available (trained personnel, equipment, etc) (general surgery procedures at rural & remote sites are the most common). • Provides routine inpatient care including assessment, care planning, treatments, monitoring, teaching & discharge planning (see Tiers in Full for details). Post-anesthetic care unit (PACU) staffing is based on the National Association of PeriAnesthesia Nurses of Canada (NAPAN) Standards for Practice.^{viii,21} • Pediatric surgical case volumes are usually less than 200 procedures per year.
Knowledge sharing & transfer/ training:	<ul style="list-style-type: none"> • Hospital/HA privileging policies are consistent with provincial privileging policies, including pediatric-specific requirements for physicians that provide care to children. • Facilitates access to learning activities that support the maintenance of pediatric surgery & anesthesia competencies. e.g., on-line access to child health guidelines/reference materials/continuing education courses (e.g., PALS) & participation in relevant HA & provincial learning activities (e.g., pediatric rounds & conferences).
Quality improvement/ research:	<ul style="list-style-type: none"> • Participates in QI structures & processes within the HA, including reviews of at-risk surgical & anesthesia cases. If child involved, physicians & staff with pediatric surgical/anesthesia expertise participate in the review, as appropriate. Implements recommendations. • Participates in regional & provincial initiatives to improve the quality & safety of children's surgical care.

^{vii} See www.bcstats.gov.bc.ca/statisticsbysubject/geography/referencemaps/Health.aspx for a map of Health Authorities (HAs), Health Service Delivery Areas (HSDAs) and Local Health Areas (LHAs) in BC.

^{viii} 1:1 nurse/child ratio: Initial admission to PACU, artificial airway in place, unresponsive child or child 8 yrs or younger without family or competent support staff present. 1:2 nurse/child ratio: Child is conscious, stable, free of complications. If child is 8 yrs or younger, must also have a family or competent support staff present.

T2: Service requirements

- Types of surgery & anesthesia providers depend on local availability. At a minimum, rural & remote sites have a general or family practice physician with enhanced surgical skills available (not 24/7). Transfer algorithm in place at times when surgical or anesthesia provider is not available.
- Pediatrician from *within HA* available by phone or virtual care to discuss cases 24/7 x 365. No expectation for on-site pediatrician.
- RNs assigned to children have "pediatric skills" (see glossary). Practice predominantly involves adults. No expectation for dedicated pediatric inpatient resources/beds.
- Psychosocial & allied health providers available on request for individual cases. Practice is predominantly with adults.
- BC Pediatric Early Warning System (PEWS) implemented in areas as defined by Child Health BC.
- General laboratory, x-ray & ECG services available. Refer to relevant modules for specifics (under development).

Tier 3: Child-Focused Surgical Service

T3: Service Descriptions & responsibilities

Service reach:	Serves children that live in multiple local health areas &/or the health service delivery area (HSDA).
Service responsibilities:	<ul style="list-style-type: none"> • Performs low complexity procedures on healthy children (ASA 1 - 2) ages 2 & over. Procedures are performed on an inpatient & daycare basis & may be planned or unplanned. Range of procedures depends on local surgeon availability. Refer to Appendix 2 for procedures that T3 services should be prepared (but not limited) to perform. • Performs life & limb procedures on an unplanned/emergency basis on higher risk children when the risk of transport is greater than the risk of performing the procedure locally if resources are available (trained personnel, equipment, etc) (general surgery procedures at rural & remote sites are the most common). • Offers inpatient nursing procedures/treatments which include: <ul style="list-style-type: none"> • Standard assessment & monitoring. • Care planning, teaching & discharge planning. • Initiation & maintenance of continuous intravenous infusions with pre-mixed electrolytes. • Medication administration including: (a) analgesics via topical, enteral, intranasal, rectal, PO, SQ & IM injection & intermittent IV routes; & (b) a range of other intermittent IV medications via syringe & mini-bag. • Maintenance of PICC lines. • Infusion of blood & blood products.

	<ul style="list-style-type: none"> Administration of supplemental O₂ up to 40% in children who are stable & showings signs of improvement. Resolution expected within 2 - 3 days. Insertion, replacement & maintenance of NG tubes for short-term hydration. Replaces & maintains established G-tubes. Pediatric case volumes (minimum): 200 surgical procedures; AND 500 med/surg inpatient/day care visits/yr OR 500 med/surg inpatient days.
Knowledge sharing & transfer/ training:	<ul style="list-style-type: none"> Hospital/HA privileging policies are consistent with provincial privileging policies, including pediatric specific requirements for physicians that provide care to children. Facilitates access to learning activities that support the maintenance of pediatric surgery & anesthesia competencies, including the practice of critical skills (e.g., simulation, clinical experience with T3/T6 service). If designated by UBC, provides <i>non-pediatric specific</i> surgical placements/learning experiences for medical students & family practice, surgery & anesthesiology residents.
Quality improvement/ research:	<ul style="list-style-type: none"> Participates in QI structures & processes within the HA, including reviews of at-risk surgical & anesthesia cases. If child involved, physicians & staff with pediatric & surgical/anesthesia expertise participate in the review, as appropriate. Implements recommendations. Provides pediatric &/or surgical/anesthesia expertise for T2 case reviews, if requested. Participates in regional & provincial initiatives to improve the quality & safety of children's surgical care. Concepts of child & family-centred care are incorporated into surgical programming (see glossary). Obtains child/family feedback on services provided. Incorporates feedback, as appropriate.

T3: Service requirements

- General or family practice physician with enhanced surgical skills available on-call 24/7 & available on-site as needed.
- Adult surgery specialists in general surgery, dental surgery, ophthalmology, orthopedics, ENT, plastics & urology strive to be available on-call 24/7 & available on-site as needed. Transfer algorithm in place at times that surgeon is not available (e.g., vacations).
- Anesthesia provider available on-call 24/7 & available on-site as needed.
- Pediatrician on-call 24/7 & available on-site as needed.
- "Safe pediatric beds" available (see glossary).
- Children are assigned to RNs with "pediatric skills" 24/7 (refer to glossary). Practice may be predominantly with adults but includes some children. Formalized pediatric orientation & ongoing education offered.
- Interdisciplinary team (psychosocial & allied health providers) available days, M-F on request for individual cases. Members have general pediatric knowledge & skills (most have predominantly adult practices). May be hospital-based or based in the community with in-hospital services provided via a service agreement.

- BC Pediatric Early Warning System (PEWS) implemented in areas as defined by Child Health BC.
- General laboratory, diagnostic imaging & ECG services available. Refer to relevant modules for specifics (under development).

Tier 4: Children's Comprehensive Surgical Service

T4: Service Descriptions & responsibilities

Service reach:	Serves children that live in the health service delivery area/health authority.
Service responsibilities:	<ul style="list-style-type: none"> • Surgery specialists available 24/7 x 365 to assess & manage children with all types of surgical conditions except cardiac or neurosurgery-related. Managing a surgical condition may include performing a surgical procedure, developing an alternative management plan or transferring the child to a T5/T6 service. • Performs a broad range of low complexity procedures on healthy children (ASA 1 & 2) ages 6 mos & over. • Procedures are performed on an inpatient & daycare basis & may be planned or unplanned. Pediatric subspecialty and/or high acuity/close observation/ICU services are not expected to be required. • Offers a broad range of inpatient nursing procedures/treatments, many of which are commonly not available at T3, including: <ul style="list-style-type: none"> • Initiation of peripherally inserted central catheter (PICC) lines. • Insertion & maintenance of central venous catheters (CVCs). • Accessing & maintenance of venous access devices. • Initiation & maintenance of high risk continuous peripheral IV infusions (e.g., insulin). • Administration of analgesics via: (a) continuous IV to children ages 2 & over; & (b) patient controlled IV route. • Insertion, replacement & maintenance of NG tubes required for nutritional management. Teaches children/families about home enteral nutrition. • Replacement of established surgically-placed J-tubes (in OR). Establishes & replaces NJ tubes (in radiology). • Initiation, administration & monitoring of TPN. • Administration of supplemental O₂ up to 40% in children who are stable & not deteriorating. Resolution is expected within 1 - 2 weeks. • Collaborates with providers in the child's home community to develop & implement discharge plans. May involve referrals to pediatric specialists/specialty teams (e.g., nursing support services, at-home program, specialty clinics). • Pediatric case volumes (minimum): 500 surgical procedures; AND 1,000 med/surg inpatient/day care visits/yr OR 1,500 med/surg inpatient days.

Knowledge sharing & transfer/ training:

- Hospital/HA privileging policies are consistent with provincial privileging policies, including pediatric specific requirements for physicians that provide care to children.
- In collaboration with T5/T6, develops & shares educational resources & offers regional learning activities that support the maintenance of pediatric surgical & anesthesia competencies.
- If designated by UBC, provides *non-pediatric specific* surgical placements/learning experiences for medical students & family practice, surgical & anesthesiology residents.
- Provides *pediatric-specific* med/surg placements/experiences for nursing, allied health & other health care providers.

Quality improvement/ research:

- QI structures & processes in place to specifically review & improve the safety & quality of children's surgical/anesthesia care within the HA. QI program includes the elements outlined in Appendix 1.
- In collaboration with T5/T6, tracks pediatric surgery & anesthesia-specific safety & quality indicators within the HA (i.e., NSQIP or similar approach). See Appendix 1 for examples of indicators.
- In collaboration with T5, leads pediatric surgical/anesthesia initiatives quality improvement initiatives within the HA. Participates in provincial initiatives.
- Concepts of child & family-centred care are incorporated into surgical programming (see glossary).
- Obtains child/family feedback on services provided. Incorporates feedback, as appropriate.

T4: Service requirements

- Adult surgery specialists available 24/7 x 365, with the exception of cardiac & neurosurgery.
- Anesthesiologist who meets the currency requirements outlined in the Provincial Privileging document to provide anesthesia to children ages 6 months - 2 years^{ix} available 24/7 x 365.
- Pediatrician on-call 24/7 & available on-site as needed.
- "Safe pediatric unit" (see glossary) available. RNs practice exclusively or primarily with children. Formalized pediatric orientation & ongoing education offered.
- Other members of the interdisciplinary team (psychosocial & allied health providers) available days, M-F (some on extended hours). Team members have general pediatric knowledge & skills (most have practices which include adults & children).
- Pain management team & wound/ostomy RN available on-site days, M-F (for adults & children).
- BC Pediatric Early Warning System (PEWS) implemented in areas as defined by Child Health BC.
- General pediatric outpatient clinic may be utilized to provide specific aspects of pre & post-op care (e.g., dressing changes, IV antibiotics or assessment by OT, PT or dietitian).
- General laboratory, diagnostic imaging (x-ray, ultrasound, CT, nuclear medicine & MRI) & ECG services available. Refer to relevant modules for specifics (under development).

^{ix} Requires an anesthesiologist that has recent experience providing anesthesia to children in the 6 mos - 2 year age group + 10 CPD credits/year in pediatric anesthesiology.

Tier 5: Children's Regional Enhanced & Subspecialty Surgical Service

T5: Service Descriptions & responsibilities

Service reach:	Serves children that live throughout the health authority (HA) (regional referral centre).
Service responsibilities:	<ul style="list-style-type: none"> • Surgery specialists available 24/7 x 365 to assess & manage children with all types of surgical conditions except cardiac or neurosurgery-related. Managing a surgical condition may include performing a surgical procedure, developing an alternative management plan or transferring the child to a T6 service. • Performs a broad range of medium complexity procedures & a limited range high complexity procedures (when relevant pediatric surgery specialist is available) on children of any age who may have modest medical complexities (ASA 3). • Inpatient nursing procedures/treatments & coordination of complex discharges as per T4 plus: <ul style="list-style-type: none"> • Administers analgesics via continuous IV to children ages 6 mos & over. • Makes decision & establishes G & J-tubes. • Makes decisions & establishes GJ tubes (in radiology). • Replaces established GJ tubes (in radiology). • Provides oral motor & dietary assessment/consultation for children with feeding & swallowing difficulties. • Inserts venous access devices (in the OR). • Provides supplemental O2 up to 40% in children who are stable & not deteriorating. If O2 requirements exceed those described, consults with T5 PICU physician. • Procedures & treatments relevant to T5 subspecialty services. • Provides pre- & post-op care for children with complex medical/surgical needs in a general pediatric outpatient clinic or, in some specialties, in a specialty-specific outpatient clinic. • Pediatric case volumes (minimum): 1,000 surgical procedures; AND 2,000 med/surg inpatient/day care visits/yr OR 4,500 med/surg inpatient days.
Knowledge sharing & transfer/ training:	<ul style="list-style-type: none"> • Same as T4 plus if designated by UBC, provides pediatric-specific placements/learning experiences for surgical & anesthesiology residents in specialties where pediatric specialists are physically present on site.
Quality improvement/ research:	<ul style="list-style-type: none"> • Same as T4 plus participates in research related to children's surgical & anesthesia care.

T5: Service requirements

- Adult surgery specialists available 24/7 x 365, with the exception of cardiac & neurosurgery. Pediatric surgery specialists available locally in some specialties (not 24/7 x 365). At a minimum, this would include a pediatric (general) surgeon and one other pediatric surgical subspecialist.
- Anesthesiologist who meets the requirements outlined in the Provincial Privileging document to provide anesthesia to children & ages 0 - 6 mos^x available 24/7 x 365.
- Pediatrician (or resident) on-site 24/7 x 365. Pediatric subspecialty medicine teams available for on-site consultation in higher volume services (e.g., cardiology, neurology, GI) - not 24/7.
- "Safe pediatric unit" (see glossary) available. RNs practice exclusively or primarily with children. Formalized pediatric orientation & ongoing education offered.
- Interdisciplinary team (psychosocial & allied health providers) available days, M-F (some on extended hours). Members work exclusively or primarily with children.
- Pain management team & wound/ostomy RN available days, M-F (for adults & children).
- BC Pediatric Early Warning System (PEWS) implemented in areas as defined by CHBC.
- On-site T3 NICU.
- General pediatric outpatient clinic available. Some specialty-specific outpatient clinics available for children with complex needs. RNs & others members of the interdisciplinary team assigned to subspecialty clinics have "enhanced skills" (see glossary) in the relevant subspecialty area(s).
- Laboratory, diagnostic imaging (x-ray, ultrasound, CT, nuclear medicine & MRI) & ECG services available. Refer to relevant modules for specifics (under development).

Tier 6: Children's Provincial Subspecialty Surgical Service

T6: Service Descriptions & responsibilities

Service reach:	Serves children that live throughout the province.
Service responsibilities:	<ul style="list-style-type: none"> • Pediatric surgery specialists available 24/7 x 365 to assess & definitively manage children of all ages & medical complexities with any type of surgical condition, including multi-system trauma. • Performs a broad range of high complexity procedures on children of any age. Many of these children will have underlying medical conditions which are often medium to high complexity. • Inpatient nursing procedures/treatments are the same as T4 plus: <ul style="list-style-type: none"> • Manages pain that requires an extended & innovative range of options, including regional analgesia/anesthesia (e.g., epidurals).

^x Requires an anesthesiologist who has completed a 12-month fellowship in pediatric anesthesia and has recent experience working with children in the 0 - 6 mos age group + 80 CPD credits/yr with at least 20 CPD credits in pediatric anesthesiology.

	<ul style="list-style-type: none"> • Provides care to children with a stable airway & stable ventilator requirements. • Provides care to children that require CPAP, BIPAP, heated humidified high-flow nasal cannulation under specific circumstances (refer to Tiers in Full for specific circumstances). • Procedures & treatments relevant to T6 subspecialty services. • Collaborates with providers in the child's home community to develop & implement complex discharge plans that often involve multiple pediatric specialists/programs, resources & equipment needs (e.g., NG or CVC care at home, home ventilation, home TPN, etc). • Provides outpatient care for children with complex needs in a broad range of specialty-specific clinics. • Pediatric case volumes (minimum): 4,000 surgical procedures; AND 8,000 med/surg inpatient/day care visits/yr OR 20,000 med/surg inpatient days.
<p>Knowledge sharing & transfer/ training:</p>	<ul style="list-style-type: none"> • Pediatric surgeons & anesthesiologists provide telephone consultation to physicians <i>throughout</i> the province 24/7. RNs, allied health & other team members available for consultation on days, M-F. • In conjunction with UBC, develops model for training pediatric surgery, pediatric specialty surgery & pediatric specialty anesthesiology residents & fellows in BC. • Provides <i>pediatric-specific</i> surgical & anesthesia placements/learning experiences for medical students, residents, pediatric medicine & surgery subspecialty residents/fellows & other health care students. • Develops & shares educational resources & partners with HAs, provincial & national organizations to offer province-wide learning activities that support the maintenance of physician & staff pediatric surgical & anesthesia competencies. • Organizes provincial activities that support the maintenance of physician & staff competencies in pediatric surgery & anesthesia. e.g., pediatric rounds & conferences. • Provides pediatric surgery & anesthesia clinical experiences for T1-T5 physicians & staff (on-site &/or via simulation or outreach).
<p>Quality improvement/ research:</p>	<ul style="list-style-type: none"> • QI structures & processes in place to specifically review & improve the safety & quality of children's surgical/anesthesia care within the T6 service. Refer to Appendix 1 for specifics. • Participates in the American College of Surgeons National Surgery Quality Improvement Program (NSQIP), pediatric stream. • In collaboration with T4/T5, tracks pediatric surgery & anesthesia-specific safety & quality indicators at a provincial level. See Appendix 1 for examples of indicators. • Leads provincial initiatives to improve the quality & safety of children's surgical care. • Concepts of child & family-centred care are incorporated into programming (see glossary).

- In collaboration with CHBC & HAs, develops & disseminates guidelines on relevant topics related to children's surgical & anesthesia care.
- Obtains child/family feedback on services provided. Incorporates feedback, as appropriate.
- Conducts & supports others to conduct research related to children's surgical & anesthesia care. Disseminates research findings.

T6: Service requirements

- Pediatric surgery specialists available 24/7 x 365, including a pediatric trauma team.
- Pediatric anesthesiologist available 24/7 x 365 that meets the currency requirements outlined in the Provincial Privileging document to provide anesthesia to children:
 - 0 - 6 mos old^{xi}
 - Undergoing cardiac surgery (typically requiring cardiopulmonary bypass).^{xii}
- Pediatrician (or resident) on-site 24/7 x 365. Pediatric subspecialty medicine physicians available on-call 24/7 & available on-site as needed.
- "Safe pediatric units" (see glossary) available & grouped according to medical/surgical specialties/subspecialties. All units are *clinical teaching* units.
- Broad range of specialty-specific outpatient clinics available on-site for children with complex needs. Many involve more than one type of physician specialist. e.g., Cardiac Surgery, Cleft Palate/Craniofacial/Jaw Clinic, Scoliosis Clinic, Burns Clinic, Vascular Anomalies Clinic, Complex Feeding Clinic, Congenital Malformation Clinic.
- RNs & others members of the interdisciplinary team working in inpatient areas & outpatient clinics have "enhanced skills" (see glossary) in a specific subspecialty area(s).
- Pediatric pain management team & wound/ostomy RN available on-site days, M-F.
- BC Pediatric Early Warning System (PEWS) implemented in areas as defined by CHBC.
- On-site T6 NICU and on-site T6 PICU.
- Pediatric-specific laboratory, diagnostic imaging (x-ray, ultrasound, CT, nuclear medicine & MRI) & ECG services available. Refer to relevant modules for specifics (under development).

^{xi} Requires an anesthesiologist who has completed a 12-month fellowship in pediatric anesthesia and has recent experience working with children in this age group + 80 CPD credits/yr with at least 20 CPD credits in pediatric anesthesiology.

^{xii} Requires a pediatric anesthesiologist who has completed an additional 6-month fellowship in pediatric cardiac anesthesiology + 50 pediatric cardiac cases/yr + 80 CPD credits/yr with at least 20 CPD credits in pediatric cardiac anesthesiology.

4.0 References

1. Hanley G. Summary of the evidence volume-outcome relationship in pediatric surgery. <http://Childhealthbc.ca/tiers-service/childrens-surgical-services>. 2013:1-15. Accessed 12/10, 2016.
2. Queensland Health. Clinical services capability framework. <http://www.health.qld.gov.au/clinical-practice/guidelines-procedures/service-delivery/cscf/default.asp>. 2014 (Version 3.2). Accessed 12/10, 2016.
3. NSW Department of Health. Children and adolescents - admission to services designated level 1-3 paediatric medicine & surgery. www.health.nsw.gov.au/policies/pd/2010/pdf/PD2010_032.pdf. . 2010;PD2010_032. Accessed 12/10, 2016.
4. NSW Department of Health. Guidelines for networking of paediatric services in NSW; www.health.nsw.gov.au/kidsfamilies/paediatric/publications/guidelines-paediatric-networking.pdf. 2002. Accessed 12/10, 2016.
5. NSW Department of Health. Guidelines for care in acute care settings. http://www0.health.nsw.gov.au/policies/pd/2010/pdf/PD2010_034.pdf. 2010;PD2010_034. Accessed 12/10, 2016.
6. NSW Department of Health. NSW health guide to the role delineation of clinical health services (First edition). www.health.nsw.gov.au. 2016. Accessed 12/10, 2016.
7. Royal Australasian College of Physicians (PACP) Paediatric and Child Health Division, the Association for the Wellbeing of Children in Health Care and Children's Hospitals Australasia. Standards for the care of children and adolescents in health services; http://www.awch.org.au/pdfs/Standards_Care_Of_Children_And_Adolescents.pdf. 2008. Accessed 12/10, 2016.
8. UK Department of Health. Getting the right start: National service framework for children - standard for hospital services; <https://www.gov.uk/government>. 2003;31352. Accessed 12/10, 2016.
9. UK Department of Health. Commissioning safe and sustainable specialised paediatric services: A framework of critical inter-dependencies. webarchive.nationalarchives.gov.uk. 2008;288254. Accessed 12/10, 2016.
10. National Health Services (NHS) England. Specialised services national definitions set (SSNDS), definition no. 23 specialised services for children (3rd edition). www.england.nhs.uk/commissioning/spec-services. 88 - 96. Accessed 12/10, 2016.

11. National Health Services (NHS) England. NHS standard contract for paediatric surgery: Surgery (and surgical pathology, anaesthesia & pain), schedule 2 - service specifications; <http://www.england.nhs.uk/wp-content/uploads/2013/06/e02-paed-surg-surgi-path-anaes.pdf>. 2013:1-24. Accessed 12/10, 2016.
12. Royal College of Surgeons of England. Surgery for children: Delivering a first class service - report of the children's surgical forum; <file:///C:/Users/user/downloads/CSF.pdf>. 2007:1-9. Accessed 12/10, 2016.
13. The Royal College of Surgeons (UK). Children's surgical forum: Ensuring the provision of general paediatric surgery in the district general hospital - Guidance to commissioners and service planners; file:///C:/Users/user/downloads/guidance_GPS_2010.pdf. . 2010:1-11. Accessed 12/10, 2016.
14. American College of Surgeons. Optimal resources for children's surgical care; www.facs.org. 2015:1-92. Accessed 12/10, 2016.
15. BC Provincial Privileging Committee. Family practice anesthesia clinical privileges. <http://Bcmqi.ca/privileging-dictionaries>. 2015:1-8. Accessed 12/10, 2016.
16. BC Provincial Privileging Committee. Family practice with enhanced surgical skills clinical privileges. <http://Bcmqi.ca/privileging-dictionaries>. [Dec 10, 2016]. 2015 (Final):1-10. Accessed 12/10, 2016.
17. BC Provincial Privileging Committee. Anesthesiology clinical privileges. <http://Bcmqi.ca/privileging-dictionaries>. 2015 (Final). Accessed 12/10, 2016.
18. BC Provincial Privileging Committee. General surgery, pediatric surgery & other surgery subspecialty documents; <http://Bcmqi.ca/privileging-dictionaries>. 2015 (Final). Accessed 12/10, 2016.
19. Royal College of Physicians and Surgeons of Canada. Objectives of training in the subspecialty of pediatric surgery; <http://www.royalcollege.ca/cs/groups/public/documents/document/y2vk/mdaw/~edisp/tztest3rpsced000928.pdf>. 2012 (Version 1.0):1-26.
20. Royal College of Physicians and Surgeons of Canada. Objectives of training in the specialty of general surgery; <http://www.royalcollege.ca/cs/groups/public/documents/document/y2vk/mdaw/~edisp/tztest3rpsced000902.pdf>. 2010:1-13.
21. National Association of PeriAnesthesia Nurses of Canada (NAPAN). Standards for practice; <http://Napan.ca/index.php/standards>. 2014. Accessed 12/10, 2016.
22. U.S. Department of Health and Human Sciences. Pediatric quality indicators overview; http://www.qualityindicators.ahrq.gov/modules/pdi_resources.aspx. Agency for Healthcare

Research and Quality Web site.

http://www.qualityindicators.ahrq.gov/modules/pdi_resources.aspx. Accessed 12/10, 2016.

23. BC Children's Hospital. Pediatric foundational competency E-learning course. Provincial Health Services Authority Web site. <https://learninghub.phsa.ca>. Updated 2012. Accessed 12/10, 2016.

24. BC Children's Hospital Learning & Development. CAPE tools for BC children's - Child and youth health nursing. BC Children's Hospital Intranet Web site. <http://infosource.cw.bc.ca/ld/cape.html>. Updated 2008 - 2010. Accessed 07/11, 2015.

25. Institute for Healthcare Improvement, the National Initiative of Children's Healthcare Quality & the Institute for Patient- and Family-Centered Care. Patient- and family-centered care organizational self-assessment tool; <http://www.ihc.org/resources/pages/tools/PatientFamilyCenteredCareOrganizationalSelfAssessmentTool.aspx>. 2013. Accessed 12/10, 2016.

26. Welsh Assembly Government. All Wales universal standards for children and young people's specialised healthcare services. <http://www.Wales.nhs.uk>. 2008:1-28. Accessed 12/10, 2016.

27. Maurer M et al (Agency for Healthcare Research and Quality). Guide to patient and family engagement: Environmental scan report; <http://www.ahrq.gov/research/findings/final-reports/ptfamilyscan/ptfamily3b.html#Strategies>. 2012;12-0042-EF:1-100. Accessed 12/10, 2016.

Appendix 1: Quality Improvement Program Requirements T4, T5 & T6

Table 1.1: Elements of a QI Program

QI Program Specific to Children's Surgical Care:

- Is a confidential quality improvement activity that is protected by all provincial & federal statutes.
- Is integrated with all appropriate HA/hospital quality improvement & safety programs & with the HA Board quality committee or equivalent.
- Has a specific focus on improving children's surgical care.
- Involves representatives of all surgical disciplines that provide care to children, as well as anesthesiology, pediatrics, neonatology, radiology & the Emergency Department.
- Is led by a physician leader for surgery, children's surgery or designate.
- Functions include:
 - Determining specific procedures appropriate to perform within each surgical specialty at each facility based on the tier designation of the service & the guidelines provided in this document. See Table 1.1.a (below) for criteria to consider.
 - Tracking safety & quality indicators & addresses related issues. See Tables 1.2 & 1.3 (below) for examples of indicators.

Table 1.1.a: Examples of Safety Indicators Specific to Children's Surgical Care

Criteria to Consider in Determining Specific Procedures Appropriate to Perform within each Surgical Specialty at Each Facility within an HA

- Availability of surgeons credentialed to perform a given procedure as per the local credentialing/privileging process;
- Availability of anesthesia providers credentialed to provide anesthesia to children as per the local credentialing/privileging process;
- Availability of nurses & other staff trained & comfortable in providing care to children pre, intra & post-operatively for a given procedure;
- Availability of clinical diagnostic & support services and pediatric equipment required for a given procedure;
- Availability of parent/child educational resources for a given procedure;
- Availability of appropriate post-operative environment for a given procedure if an inpatient stay is anticipated (e.g., general pediatric unit, NICU, PICU);
- Site capacity to manage foreseeable complications of a given procedure (e.g., co-location of specialists/sub-specialists, equipment, clinical diagnostic & support services, etc); &
- Distance for parents/children to travel if a procedure is not available locally.

Table 1.2: Examples of Safety Indicators Specific to Children's Surgical Care

- Cardiac or respiratory arrest, acute change in respiratory support or administration of emergency vasoactive medications in the OR or within 72 hours postoperatively.
- Unplanned reintubation in the OR, post anesthesia care unit or within 72 hours postoperatively.
- Foreign body left in during procedure.

- Major perioperative anesthetic event or complication: clinically significant laryngospasm, bradycardia, hypotension, apnea, O2 desaturation) & requiring intervention.
- Unanticipated event resulting in death or serious injury (i.e., wrong site surgery, wrong patient, wrong procedure, retained foreign body).
- Unplanned return to the OR within 72 hours of operation.
- Unscheduled admission to the hospital for inpatient care within 30 days.
- Unscheduled admission or transfer to the intensive care unit or a higher level of care within 72 hours of operation.
- Transfer to another institution for higher level of care within 72 hours of a procedure.
- Death within 30 days.

Table 1.3: Examples of Quality Indicators Specific to Children's Surgical Care

Process indicators

- Compliance with guidelines, protocols & pathways
- Appropriateness of pre-hospital & ED triage/referral
- Delay in assessment, diagnosis, technique or treatment
- Appropriateness of documentation
- Timeliness & availability of imaging reports
- Timely participation of subspecialists
- Availability of OR
- Availability of family services
- Consistency of outpatient follow-up

Outcome indicators

- Mortality
- Morbidity (complications): e.g., postoperative pneumonia, embolism, pressure ulcers, infections (bloodstream, urinary tract, wound, etc), bleeding, wound dehiscence, transfusion reactions; admissions for perforated appendix
- Functional and quality of life outcomes
- Patient and family satisfaction
- Length of stay and cost

Adapted from the American College of Surgeons, 2015¹⁴ and AHRQ Pediatric Quality Indicators web page.²²

Appendix 2: Surgical Capability of T2 & T3 Surgical Services

This list identifies procedures appropriate for T2 and T3 surgical services to perform locally on healthy children ages 2 and over to avoid unnecessary transfers. This list is not limited - other procedures that are within the scope of a T2 and T3 service may also be performed at a given site.

The list was developed to support T2 and T3 in **planning** surgical services. Individual patient factors, including age and medical complexity, may require a child to be referred/transferred to a higher tier of service.

T3/T6 services are available anytime for telephone consultation about a specific case.

The list was developed from (1) work done in other jurisdictions (Australia and the UK); (2) Data from BC hospitals re procedures currently performed at hospitals providing T2 and T3 services; and (3) the expert opinion of the Pediatric Surgical Working Group.

Service	Procedure	Healthy Children			
		T2*		T3	
		Ages 2 & Over		Ages 2 & Over	Ages 14 & Over
		Urban	Rural & remote**		
Gen Surgery	Appendectomy		Y	Y	
	Cholecystectomy		Y	Y	
	Hernia repair		Y	Y	
	Drainage of abscess		Y	Y	
Dental	Excision/extraction, tooth			Y	
	Restoration, tooth			Y	
Ophthalmol	Strabismus surgery			Y	
	Nasal-lacrimal duct surgery			Y	
	Chalazion surgery			Y	
Orthopedics	Closed reduction of fractures			Y	
	Arthroscopic knee procedures				Y
ENT	Tonsils & adenoids			Y	
	Ear tube insertion			Y	
	Release of tongue tie			Y	
	Reduction of nasal fracture			Y	
	Removal of foreign body in esophagus			Y (rural & remote sites only)	
Plastic Surgery	Hand fractures			Y	
Plastics/Gen Surg	Excision of skin lesion			Y	
Urology	Torsion of testis			Y	
Urol/Gen Surg	Circumcision			Y	
	Cystoscopy			Y (emergency only)	Y

*Assumes hospital provides a non-elective surgical service (a few T2 sites limit procedures on children to elective dental procedures on children only).

** Rural & remote is not defined by size of community but by travel time that may affect the care of the child. For this purpose, rural and remote means travel time to a T3-T6 service is more than 2 hours.

Appendix 3: Glossary

Registered Nurse with "pediatric skills"

- Demonstrates a broad understanding of growth and development. Distinguishes between normal and abnormal growth and development of infants, toddlers, children and youth.
- Understands the psychological impacts of care provision (including hospitalization) at different developmental stages (infant, toddler, preschooler, school aged and youth).
- Understands how to provide a physically and psychologically safe environment appropriate to the age and condition of the child.
- Demonstrates understanding of the physiological differences between infants, children and adults and their implications for assessment and care.
- Assesses a child's normal parameters, recognizes the deviations from the normal and acts appropriately on the findings.
- Demonstrates knowledge of common pediatric conditions and their management.
- Demonstrates understanding of fluid management in an infant and child.
- Calculates and administers medications and other preparations based on weight based dosages.
- Assesses child and family's knowledge and provides teaching specific to the plan of care and condition or procedure.
- Communicates effectively and works in partnership with children and families (children and family-centred care).
- Aware of and accesses pediatric-specific clinical guidelines and protocols.
- Responds to patient deterioration/acute urgent situations in an appropriate and timely manner.
- Commences and maintains effective basic pediatric life support, including 1- and 2-rescuer infant and child CPR, AED use and management of airway obstructions.
- Provides referrals to public health nursing, nutrition and utilizes contact with the child and family to promote child health. e.g., immunization, child safety.
- Assesses pain and intervenes as appropriate.*
- Initiates and manages peripheral and central infusions on children;* consults expert clinicians as necessary. Identifies and manages complications of IV therapy.

*Refer to body of document for examples of interventions appropriate at each tier.

References: NSW's Guidelines for Care in Acute Care Settings,⁵ BC Children's Pediatric Foundational Competencies on-line course²³ and BC Children's CAPE tools (2008-2010).²⁴

"Enhanced pediatric skills" (refers to RNs and others on the interdisciplinary team)

- Demonstrates in-depth knowledge in a specific area of clinical care (e.g., respiratory diseases, sexual assault, diabetes, wound management, etc).
- Performs comprehensive assessments and plans, provides and evaluates care in children with suspected or known issues in specific areas of clinical care.

Reference: BC Children's CAPE tools.²⁴

"Safe pediatric bed"

All hospitals that admit children must take steps to ensure the environment is as safe as possible for children. For a T2 service, this includes:

- Area is physically safe for children with any potentially dangerous equipment, medications, chemicals or fluids out of reach or in locked cupboards.
- Diaper changing area/table.
- Sufficient "RNs with pediatric skills" are allocated each shift to ensure adequate supervision and care relevant to the age and nursing needs of child.
- Parents/primary caregivers are able to stay with their children during hospitalization.
- Children are not in the same area/unit as adults who are under the influence of, or withdrawing from alcohol or chemical substances, known sex offenders, a danger to themselves or others and/or are confused and/or wandering.
- Self-served food and drink is available in the inpatient area.
- Capacity to isolate child for infection control reasons.
- Physical separation of children from adult patients is recommended.
- Criminal record checks are required as part of the credentialing and/or hiring process for all staff and physicians (as per legislation).

Additional requirements for a T3 service:

- Access to child-friendly bathrooms and space for changing diapers.
- Facilities for breastfeeding and breast milk storage.
- Safe space(s) and age-appropriate facilities/equipment for children to play/be entertained. e.g., age appropriate media, books or board games.
- Furniture is child safe and meets appropriate standards for children. e.g., cribs with safe side rails and crib domes (if needed) for children 2 years of age or less.

"Safe pediatric unit"

T3 to T6 services are required to have a "safe pediatric unit(s)" to provide inpatient care to children. In addition to the requirements for a safe bed, a "safe pediatric unit" includes:

- Children are cared for on a dedicated pediatric inpatient unit(s).
- Pediatric unit is functionally separate from adult patients, preferably with a door that can be closed and not opened by young children.
- Bedside sleeping facilities and ideally a kitchenette with fridge and microwave are available for parents/primary care givers.
- Regulated hot water temperature and secure electrical outlets are present on the unit.
- Youth friendly facilities/activities are available.

Child and family-centred care

Child and family-centred is one of the tenets of pediatric care. For a all tiers, this means:

- Services are delivered in line with the principles of the UN Convention on the Rights of the Child (version in child friendly language is at: <http://www.unicef.org/rightsite/files/uncrcchildfriendlylanguage.pdf>).
- Children and their families are actively involved in health care planning and transitions.
- Children and their families are provided information about care options available to them in a way they can understand. This allows them to make informed choices.

- Families are actively encouraged to participate in the care of their child.
- Education is provided to children and their families who wish to be involved in providing elements of their own/their child's care.
- When families stay in hospital to help care for a child:
 - Environment supports family presence and participation (e.g., overnight accommodation, sitting room, quiet room/area for private conversation and facilities for making refreshments).
 - Consideration is given to their practical needs, including regular breaks for personal needs, to obtain food/drink, make telephone calls, etc.
- Information and support is given to families on how to access funds for travel to and from specialist centres.
- Information is available for children and their families in several formats including leaflets and videos. Information is culturally and age-appropriate and is provided in a variety of commonly used languages.
- Child and their families have access to professional interpreter services.
- Children and their families are provided with contact details for available support groups, as appropriate.
- Transition pathways are in place to allow for seamless transition to adult services.
- Children and families are actively encouraged to assist in identifying safety risks (e.g., ask questions about medications, question providers re hand washing etc).
- Opportunities are available for children and their families to provide input on the quality and safety of care provided (e.g., surveys, committees, rounds, parent advisory council, etc).

Adapted from:

- Institute for Healthcare Improvement, the National Initiative of Children's Healthcare Quality and the Institute for Patient- and Family-Centered Care, Patient- and Family-Centered Organizational Self-Assessment Tool, 2013.²⁵
- Welsh Assembly Government, All Wales Universal Standards for Children and Young People's Specialised Healthcare Services, 2008.²⁶
- Maurer, M et al, Guide to Patient and Family Engagement: Environmental Scan Report (Agency for Healthcare Research and Quality), 2012.²⁷

Appendix 4: Change Log

Document	Date	Description of Change
Initial approval (by CHBC Steering Committee & Provincial Surgical Executive Committee)	July 1, 2016	
Minor updates	2016 - 2018	Updates to align with other modules developed subsequently to the surgical module (e.g., critical care module)
Minor update	2020	<p>Clinical service:</p> <ul style="list-style-type: none"> • Service reach: Changed T2 from “local community/local health area” to “community health service area(s)/local health area” to match change in MOH designations. • Surgeons & anesthesia providers: To more accurately reflect the intent of the availability of pediatric surgical specialists available, added “at a minimum, this includes a pediatric (general) surgeon and one other pediatric surgical subspecialist.”